


Telescopic Shelf




STEP 1

REMOVE TELESCOPIC RAIL FROM UNIT BY:


A, SLIDING TELESCOPIC RAIL ALL THE WAY BACK

B, RELEASE TELESCOPIC RAIL BY DEPRESSING BLACK PLASTIC CATCH

C, SLIDING TELESCOPIC RAIL ALL THE WAY OFF



(B)



(C)

Telescopic Shelf 2


STEP 2

POSITION CAGE NUTS FACING OUTWARDS INTO CENTRE HOLE OF RU ON ALL VERTICAL MOUNTING RAILS



STEP 3

CLIP TELESCOPIC RAIL ONTO EXTENSION BRACKET



STEP 4

EXTEND WIDTH TO MATCH DEPTH OF RACK.

Note: For depths larger than 820mm you will require the long extension brackets.


MFB PRODUCTS PTY LTD

ABN 63 004 939 860

Telescopic Shelf 3


STEP 5

FIND UNOBSTRUCTED MOUNTING POINT ALONG INSIDE OF TELESCOPIC RAILS
 IN ONE OF THE SLOTTED POINTS ILLUSTRATED BELOW.
 SECURE RAIL VIA SMALL SCREWS (FROM INSIDE) TO MOUNTING BRACKET (OUTSIDE).



STEP 6

MOUNT SLIDE ASSEMBLY WITH SMALL
 MOUNTING BRACKET FACING FRONT
 OF RACK. SECURE FRONT & REAR



STEP 7

INSERT TELESCOPIC SHELF INTO TELESCOPIC RAILS
 FROM FRONT OF RACK. AFTER INSERTING COMPLETELY,
 WITHDRAW SHELF TO ENSURE IT HAS LOCKED INTO PLACE.

